

Your animals health, is our priority!

Our extensive product range will ensure you maximise production and performance on farm. Here is a simple guide to show our range of animal health products.

We offer competitive pricing with real value and are here to make your farming life easier. Shop online or in store, and we'll deliver the right product when you need it.

Talk to one of our friendly Ruralco representatives today, you can find contact details on the back page of this guide.

Remember to always read the product label.



LOOK OUT FOR

CONTENTS:

POUR-ON page 3

B12 page 5

INJECTABLES page 6

VACCINES page 8

ORAL page 10

SHEEP FLY & LICE page 13

Spend \$1,000 across selected animal health products and receive a



FREE

Swanndri \$199
FOXTON OILSKIN VEST





ACTIVE+ ABA POUR-ON

- Fast acting, broad-spectrum treatment & control of internal & external parasites of cattle
- · Broad-spectrum activity
- Effective against sucking and biting lice
- Effective against lungworm

Active ingredient: Abamectin ACVM Act 1997, No. A011493

SUITABLE FOR:



DOSE CATTLE: 1ml per 20kg PACK SIZE: 2.5lt, 5lt & 20lt

WITHHOLDING PERIOD:
Meat: 35 days



ACTIVE+ DELGUARD

- A pour-on for the prevention of nuisance fly and control of biting and sucking lice
- Up to four weeks protection against nuisance fly
- Nil milk withholding period

Active ingredient: Deltamethrin ACVM Act 1997, No. A011640

SUITABLE FOR:



DOSE CATTLE: 1ml per 20kg PACK SIZE:

WITHHOLDING PERIOD: Meat: 28 days



ACTIVE+ EPI POUR-ON

- For the treatment and control of internal and external parasites of beef and dairy cattle (including lactating cows) and internal parasites of deer
- · Effective, safe and convenient
- Weatherproof

Active ingredient: Eprinomectin ACVM Act 1997 No. A011491 SUITABLE FOR:



DOSE CATTLE:

1ml
per 10kg

PACK SIZE: 5lt & 20lt

WITHHOLDING PERIOD: Meat: **Cattle: nil, Deer: 7 days** Milk: **Nil**





CYDECTIN POUR-ON

- Works harder, with persistent activity against Ostertargia ostertagi for 35 days
- NZ dairy production trials conducted at dry off, late lactation or calving showed an average increase of 4.2kg MS per cow across the three trials
- · New Zealand made

Active ingredient: Moxidectin ACVM Act 1997, No. A6203



DOSE CATTLE:

1ml
per 10kg

PACK SIZE: 500ml, 2lt, 5lt & 15lt

WITHHOLDING PERIOD: NI



DESTRUCT

• Organophosphate insecticide pour-on for the control of cattle lice

Active ingredient: Propetamphos ACVM Act 1997, No. A5740 SUITABLE FOR:

PACK SIZE:

DOSE CATTLE: 1ml per 10kg WITHHOLDING PERIOD:
Meat: 3 days



OUTLAW POUR-ON

- Convenient low volume, double active combination pour-on, delivering full abamectin and levamisole doses
- Highly effective against endectocide (ML) resistant Cooperia spp
- Ideal for young cattle over 100kg bodyweight and dairy cows at dry-off

Active ingredient: Abamectin & levamisole ACVM Act 1997, No. A010375

SUITABLE FOR:

DOSECATTLE:

1ml
per 20kg

PACK SIZE: **2.5lt** & **6.5lt**

WITHHOLDING PERIOD: Meat: **42 days** Milk: **42 days**



20ML METAL DRENCH GUN

• High quality metal drencher with sheep nozzle



V-VAXIMATE PLASTIC INJECTOR

- V injector is multi-function for injecting and drenching
- Available in: 1ml, 2ml & 5ml



30ML PLASTIC POUR ON DRENCH GUN

• Specifically designed for a wide range of pour-on products



8ML PLASTIC DRENCH GUN

Highly visible dial-a-dose indicator window





COBALJECT B12 2000

- For the treatment and control of cobalt & selenium deficiency in sheep and cattle
- Dose rates ideal for calves and cattle
- Supplementation of young ruminants should begin at or before weaning for best results

Active ingredient: Hydroxocobalamin ACVM Act 1997, No. A11694 & A11696 AVAILABLE AS: **Plain** or **Selenise**d

SUITABLE FOR:

PACK SIZE:

WITHHOLDING PERIOD:

DOSE SHEEP: 0.5ml per lamb
1-1.5ml per adult sheep
DOSE CATTLE: 4-6ml per cow
DOSE CALF: 2-3ml per calf



COBALJECT B12 1000

- For the treatment and control of cobalt & selenium deficiency in sheep and cattle
- Convenient dose rates for use in lambs and sheep
- Supplementation of young ruminants should begin at or before weaning for best results

Active ingredient: Hydroxocobalamin ACVM Act 1997, No. A7397 & A7398

AVAILABLE AS: **Plain** or **Selenised**

SUITABLE FOR:

PACK SIZE:

WITHHOLDING PERIOD:

DOSE SHEEP: 1ml per lamb
2-2.5ml per adult sheep
DOSE CATTLE: 10-12ml per cow DOSE CALF: 5ml per calf





ANIMEC SUPER

- A one dose injectable solution for the treatment and control of internal parasites of cattle, including adult liver fluke
- Its convenience, broad-spectrum efficacy and wide safety margin make it an ideal product for parasite control in cattle

Active ingredient: Ivermectin & clorsulon ACVM Act 1997, No. A011397

SUITABLE FOR:



DOSE CATTLE: **1ml** per 50kg

PACK SIZE: 500ml

WITHHOLDING PERIOD:

Meat: Cattle & Bobby Calves 28 days / Milk: 14 days



CYDECTIN INJECTION

- An easy to use injection with a wide safety margin
- Prevents reinfection from Teladorsagia (Ostergaia) circumcincta for 35 days in sheep
- Prevents reinfection from Ostertagia Ostertagi and lung worm for 28 days in cattle

Active ingredient: Moxidectin ACVM Act 1997, No. A5979

SUITABLE FOR:



PACK SIZE: 500ml

DOSE SHEEP: 0.1ml

DOSE CATTLE: 1ml

WITHHOLDING PERIOD: Meat: Cattle: 35 days, Sheep: 28 days / Milk: 35 days



CYDECTIN LA

- NZ trial work demonstrated that on average pre-lamb treated ewes were 3.2kg heavier, and produced lambs 2.6kg heavier at weaning compared to untreated animals
- · Easy to administer and gives equivalent production benefits to capsules

Active ingredient: Moxidectin ACVM Act 1997, No. A9926

SUITABLE FOR:



DOSE SHEEP: 1ml

PACK SIZE:

WITHHOLDING PERIOD: Meat: **91 days** Milk: **180 days**



DORAJECT

- For the treatment and control of Doramectin internal sensitive parasites in cattle
- NZ made proven efficacy from Doramectin active ingredient

Active ingredient: Doramectin ACVM Act 1997, No. A10717





PACK SIZE: **500ml**

DOSE CATTLE: 1ml per 50kg WITHHOLDING PERIOD:

Meat: **42 days** Milk: **42 days**



MOXISURE LA

- For the treatment and control of internal parasites, nasal bot and itchmite in sheep
- NZ made, long acting injection containing moxidectin active ingredient
- Proven results

Active ingredient: Moxidectin ACVM Act 1997, No. A10806

SUITABLE FOR:



PACK SIZE: 500ml

DOSE SHEEP: 1ml per 20kg WITHHOLDING PERIOD:

Meat: **127 days** Milk: **180 days**



EWEGUARD

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ field trials
- Produce heavier lambs with less dags

Active ingredient: Moxidectin and a 6-in-1 vaccine (5 clostridials plus Cheesy Gland) ACVM Act 1997, No. A7302 & A9122 AVAILABLE AS:

Plain or Selenised SUITABLE FOR:



DOSE SHEEP: 2ml for up to 50kg 1ml per 25kg if over 50kg

PACK SIZE: 500ml

WITHHOLDING PERIOD:

Meat: **49 days** Milk: **49 days**



NILVAX

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ field trials
- Produce heavier lambs with less dags

Active ingredient: Levamisole and a 5-in-1 vaccine ACVM Act 1997, No's. A3832, A3977 & A934

AVAILABLE AS:
Selenised

SUITABLE FOR:



DOSE SHEEP:

See packet for weight range dose amounts the risk of levamisole toxicity.

PACK SIZE: 500ml

WITHHOLDING PERIOD:

Meat: **21 days** Milk: **35 days**





EWEGUARD

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ field trials
- Produce heavier lambs with less dags

Active ingredient: Moxidectin and a 6-in-1 vaccine (5 clostridials plus Cheesy Gland) ACVM Act 1997, No. A7302 AVAILABLE AS:
Plain or
Selenised

SUITABLE FOR:



DOSE SHEEP: 2mL for up to 50kg 1mL per 25kg if over 50kg

PACK SIZE: 500ml

WITHHOLDING PERIOD:

Meat: **49 days** Milk: **49 days**



NILVAX

- Boosted with levamisole for enhanced immune response
- Boosts antibodies available for colostrum ideal for multiple bearing ewes
- Longer vaccination window, up to 6 weeks before lambing

Active ingredient: Levamisole and a 5-in-1 vaccine ACVM Act 1997, No's. A3832, A3977 & A934

AVAILABLE AS: **Selenised**

SUITABLE FOR:



DOSE SHEEP:

See packet for weight range dose amounts the risk of Jevamisole toxicity

PACK SIZE:

WITHHOLDING PERIOD:

Meat: **21 days** Milk: **35 days**



LAMB VACCINE

- Immediate short-term tetanus protection
- Short-term pulpy kidney protection - develops 7-10 days after vaccination

Active ingredient: Clostridium perfringens (type D), toxoid & tetanus ACVM Act 1997, No's. A1009, 1011 & A934

AVAILABLE AS: **Plain** or

SUITABLE FOR:



DOSE LAMB:

PACK SIZE:

WITHHOLDING PERIOD: NI



MULTINE 5 IN 1 B12 SELENISED

- · Protects against pulpy kidney, malignant oedema, tetanus, black disease and blackleg
- Includes an optimum 2mg dose of selenium for supplementation of lambs from tailing
- Use from tailing/docking in sheep and goats

Active ingredient: A 5-in-1 clostridial vaccine + Vitamin B12 and 2mg of Selenium per dose ACVM Act 1997, No. A11766

AVAILABLE AS:

SUITABLE FOR:

DOSE SHEEP: 2ml

PACK SIZE:

WITHHOLDING PERIOD: NI



MULTINE 5 IN 1 B12

- Protects against pulpy kidney, malignant oedema, tetanus, Black disease and blackleg
- Available in plain and with Vitamin B12 for sheep and cattle
- A proven performer on New Zealand farms for well over 30 years

Active ingredient: A 5-in-1 clostridial vaccine ACVM Act 1997, No. A011311

AVAILABLE AS: Plain

SUITABLE FOR:

DOSE SHEEP: **2ml** per sheep DOSE CATTLE:

PACK SIZE:

WITHHOLDING



MULTINE 5 IN 1

- Protects against pulpy kidney, malignant oedema, tetanus, Black disease and blackleg
- Available in plain and with Vitamin B12 for sheep and cattle and selenised for sheep
- A proven performer on New Zealand farms for well over 30 years

Active ingredient: A 5-in-1 clostridial vaccine ACVM Act 1997, No. A000934 & A000935

AVAILABLE AS: **Plain** or Selenised

SUITABLE FOR:

DOSE SHEEP:

DOSE CATTLE:

PACK SIZE: 250ml & 500ml WITHHOLDING





COMBINATION PLUS TAPE

A broad spectrum sheep drench for the control of tapeworms (heads and segments), adult liver fluke and susceptible gastrointestinal roundworms and lungworms in sheep and lambs including benzimidazole and levamisole resistant strains.

Active ingredient: Albendazole, levamisole & praziquantel ACVM Act 1997, No. A9871

AVAILABLE AS:
Mineralised

SUITABLE FOR:



DOSE SHEEP: 1ml per 5kg PACK SIZE: 5lt & 10lt

WITHHOLDING PERIOD:

Meat: 10 days Milk: 35 days



CYDECTIN ORAL

- Protect your stock from parasite burdens for longer with 35 days persistent activity against Barber's pole worm & 21 days Teladorsagia (Ostertagia) circumcincta
- NZ trial work found lambs were able to grow at least 60% faster treated with Cydectin Oral compared to a short acting drench

Active ingredient: Moxidectin ACVM Act 1997, No. A07388 & A6204 AVAILABLE AS:
Plain or
Selenised

SUITABLE FOR:

DOSE SHEEP: 1ml per 5kg PACK SIZE:
2It selenised only
& 15It

WITHHOLDING PERIOD:

Meat: 10 days Milk: 84 hours



CYDECTIN PLUS TAPE

The benefits of Cydectin Oral, with the addition of praziquantel when tape control is required

Active ingredient: Moxidectin & praziquantel ACVM Act 1997, No. A8036

AVAILABLE AS: Plain

SUITABLE FOR:

DOSE SHEEP: 1ml per 5ka PACK SIZE: **10.5lt**

WITHHOLDING PERIOD:

Meat: **49 days** Milk: **35 days**



ACTIVE+ MERGE

- · Low dose combination oral drench
- Controls internal parasites in sheep and cattle including tapeworm in sheep
- Levamisole has retained efficacy against Cooperia species, worms that commonly show resistance to other drench families

Active ingredient: Oxfendazole & levamisole with colbalt, zinc & selenium. ACVM Act 1997, No. A011494

AVAILABLE AS:

Mineralised



DOSE SHEEP &CATTLE: **1ml** per 10kg PACK SIZE: 5lt, 10lt & 20lt

WITHHOLDING PERIOD: Meat: **10 days** / Milk: **Sheep 35 days, Cattle 144 hours**



ACTIVE+ DUPLE

- · Convenient low dose combination drench
- For the management of internal parasites in sheep and cattle
- ML/clear dual combination oral drench

Active ingredient: Abamectin & levamisole with colbalt & selenium ACVM Act 1997, No. A011497

AVAILABLE AS: Mineralised

SUITABLE FOR:

DOSE SHEEP & CATTLE:

1ml per 10kg

PACK SIZE: 5lt, 10lt & 20lt

WITHHOLDING PERIOD: Meat: **Sheep & Cattle 14 days** Milk: **35 days**



ACTIVE+ TREBLE

- For the management of internal parasites in sheep and cattle
- Convenient low dose, triple combination drench
- White/ML/clear combination

Active ingredient: Abamectin, oxfendazole & levamisole with cobalt & selenium ACVM Act 1997, No. A011495

AVAILABLE AS:
Mineralised

SUITABLE FOR:

DOSE SHEEP & CATTLE:

1ml per 10kg

PACK SIZE: 5lt, 10lt & 20lt

WITHHOLDING PERIOD: Meat: **Sheep & Cattle 14 days** Milk: **35 days**



ACTIVE+ TREBLE ITAPE

- For the treatment and control of tapeworm and internal parasites in sheep
- Quad combination oral drench for sheep
- Ideal lamb drench contains Ivermectin in a quad combination

Active ingredient: Ivermectin, levamisole, oxfendazole & praziquantel with cobalt & selenium. ACVM Act 1997, No. A011498

AVAILABLE AS:
Mineralised

SUITABLE FOR:



DOSE SHEEP: 1ml per 5ka PACK SIZE: 5lt & 10lt

WITHHOLDING PERIOD:

Meat: **14 days** Milk: **35 days**



BOMATAK C

· White drench for horses, cattle, deer and sheep

Active ingredient: Oxfendazole ACVM Act 1997, No. A6872



DOSE:

PACK SIZE:

WITHHOLDING PERIOD:

Meat: **10 days, Horses 63 days** Milk: **72 hours**



ULTRAMOX

· Effective against roundworms, tapeworms, bots & inhibited and late encysted stages of small strongyle

Active ingredient: Moxidectin, Oxfendazole, Praziquantel ACVM Act 1997, No. A10202 No. A10237

SUITABLE FOR:

PACK SIZE: 30g, 250ml, & 1lt

DOSE:

WITHHOLDING PERIOD:



EQUITAK EXCEL

- 3-in-1 combination wormer for horses
- Effective against roundworms, tapeworm and bots

Active ingredient: Abamectin, Oxfendazole, Praziquantel ACVM Act 1997, No. A9669 No. A9710





WITHHOLDING PERIOD:



EQUEST PLUS TAPE

- · Controls tapeworm, bots and gastrointestinal roundworms including adult and encysted stages and benzimidazole resistant strains of small strongyles
- Lasts up to twice as long as other wormers, reducing labour and product costs
- Unique gel formulation that dissolves rapidly on the tongue, aiding compliance

Active ingredient: Moxidectin and Praziquantel ACVM Act 1997. No. A9085

SUITABLE FOR:



PACK SIZE: 11.8g syringe

DOSE: intervals of 25kg body weight up to 575Kg WITHHOLDING PERIOD:



CENTRAMAX (CAPSULES)

- Protects against internal parasites in sheep for 100 days
- Effective against all susceptible gastrointestinal worms
- Designed for slow release protection, manufactured to the highest and most stringent quality standards

Active ingredient: Abamectin & Albendazole and also contains cobalt & selenium. ACVM Act 1997, No. A11320





PACK SIZE: 100 pack

DOSE SHEEP: 40-80kg: **1 capsule** 80-160kg: **2 capsules**

WITHHOLDING PERIOD:

Meat: **128 days** Milk: **128 days**





CYREX LIQUID

- Treats active flystrike and prevents blowfly strike for up to 12 weeks
- Treatment for lice on long wool merino sheep (>3 months wool)
- · Control of lice on coarse wool breeds

Active ingredient: Cyromazine & spinosad ACVM Act 1997, No. A009917

SUITABLE FOR:



PACK SIZE: 250ml, 5lt & 10lt

DOSE SHEEP: Refer to label

WITHHOLDING PERIOD:

Meat: **7 days** / Milk: **35 days** Wool: **at least 2 months**



EXPO EXTINOSAD POUR-ON

- Effective against all stages of lice with no known resistance
- · Water based formulation
- · Long wool emergency treatment

Active ingredient: Spinosad ACVM Act 1997, No. A010205 SUITABLE FOR:



PACK SIZE:

DOSE SHEEP: Refer to label

WITHHOLDING PERIOD:

Meat: Sheep with up to three months wool: **NiI.** With at least six months wool: **7 days** Milk: **35 days**



EXTINOSAD

- Controls lice on long wool merino sheep (>3 months wool) and coarse wool breeds
- Treats and provides short-term protection against blowfly strike on sheep
- Unique mode of action controls SP-resistant lice and OP-resistant blowflies

Active ingredient: Spinosad ACVM Act 1997, No. A008206 SUITABLE FOR:



PACK SIZE: 5lt & 10lt

DOSE SHEEP: Refer to label

WITHHOLDING PERIOD:

Meat: **Nil** Milk: **35 days** Wool: **Nil**



MAGGO

- For the treatment of flystrike in sheep
- Offers protection from re-strike on treated area
- Convenient applicator to ensure correct rate is applied

Active ingredient: Propetamphos & paradichlorobenzene ACVM Act 1997, No. A5679





PACK SIZE:

DOSE SHEEP:

1 part Maggo to 40 parts

WITHHOLDING PERIOD:

Meat: **14 days** Milk: **35 days**



VENUS LIQUID

· For the residual protection of sheep against flystrike for up to 12 weeks

Active ingredient: Cyromazine ACVM Act 1997, No. A8077



PACK SIZE: 2lt & 10lt

DOSE SHEEP:

WITHHOLDING PERIOD:

Meat: **7 days,** Milk: **35 days** Wool: **2 months at least**



VENUS SPRAY ON

• For the residual protection of sheep against flystrike for up to 8 weeks

Active ingredient: Cyromazine ACVM Act 1997, No. A8077





PACK SIZE: 10lt & 20lt

DOSELAMBS: Refer to label

WITHHOLDING PERIOD:



ZAPP ENCORE

- Combination pour-on for the knockdown and long term control of lice
- Knockdown of maggots and long term control of flystrike
- Rain fast and can be applied to wet sheep
- Scourable blue dye to help easily identify treated sheep

Active ingredient: Triflumuron & imidacloprid ACVM Act 1997, No. A010400

SUITABLE FOR:



PACK SIZE:

DOSESHEEP: Refer to label

WITHHOLDING PERIOD:

Meat: **56 days** Milk: **35 days**



CYGUARD LIQUID

• Non-stripping saturation dip for up to 12 weeks fly control

Active ingredient: Cyromazine ACVM Act 1997, No. A011137

SUITABLE FOR:



PACK SIZE:

DOSE SHEEP:

WITHHOLDING PERIOD:

Meat: 7 days, Milk: 35 days Wool: 2 months at least



MAGNUM®

- A fly and lice pour-on for sheep
- Water-based IGR pour-on for the prevention of flystrike and control of lice
- Nil meat withhold, so no delay in getting lambs away
- Provides 8 weeks fly protection

Active ingredient: Diflubenzuron (IGR - Insect Growth Regulator) ACVM Act 1997, No. A7704 SUITABLE FOR:



PACK SIZE: **2.5lt & 20lt**

DOSESHEEP: Refer to label

WITHHOLDING PERIOD:

Meat: **Nil** Milk: **35 days** Wool: **60 days**



WIPE-OUT®

- A lice pour-on for sheep
- SP pour-on for the control of lice and keds on sheep and goats
- Provides up to 13 weeks protection against reinfestation
- Rainfast

Active ingredient: Deltamethrin (SP - Synthetic Pyrethroid) ACVM Act 1997, No. A4558 SUITABLE FOR:



PACK SIZE:

1lt & 11lt

DOSE SHEEP: Refer to label

WITHHOLDING PERIOD:

Meat: 3 days Milk: 35 days Wool: 60 days



VANQUISH®

- A lice pour-on for long-wool sheep
- SP pour-on for the control of lice and prevention of flystrike. An ideal emergency lice outbreak treatment
- Protects against reinfestation for up to 22 weeks
- · Also prevents flystrike for up to 6 weeks

Active ingredient: Alpha-cypermethrin (SP - Synthetic Pyrethroid) ACVM Act 1997, No. A5997 SUITABLE FOR:



PACK SIZE:

DOSE SHEEP: Refer to label

WITHHOLDING PERIOD:

Meat: **7 days** Milk: **35 days** Wool: **60 days**



ZENITH

- · A fly and lice dip and jetting concentrate
- Water-based IGR dip and jetting concentrate for the prevention of flystrike and control of lice
- Nil meat withholding period
- Up to 12 weeks fly control

Active ingredient: Diflubenzuron ACVM Act 1997, No. A006102

SUITABLE FOR:



PACK SIZE:

5lt

DOSE SHEEP:

Shower/Plunge Dip **150ml per 100lt of water** Jetting **250ml per 100lt of water**

WITHHOLDING PERIOD:

Meat: **NIL** Milk: **35 days**

Ruralco, its affiliates, agents, and employees, and all persons acting on its or their behalf collectively, disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any part of this document.

Ruralco makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Ruralco disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Ruralco's knowledge of typical requirements and to the best of Ruralco's knowledge are true and accurate. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Always read the product label.

PROVIDING A COMPLETE AND PERSONALISED ON-FARM SOLUTION

Lizzie Redfern MEMBERSHIP SERVICES MANAGER 027 205 3056 Melinda Driscoll ON-FARM ACCOUNT MANAGER 027 449 0805

John Scott GRAIN & SEED CO-ORDINATOR 027 227 7048 Craig Rodgers GROUP MANAGER ON-FARM SALES 027 495 2029

Tracey Gordon ENERGY ACCOUNT MANAGER 027 652 2133 Mel Sowden METHVEN STORE MANAGER 03 303 2020 Bryce Sharkie ON-FARM ACCOUNT MANAGER 027 575 0182 Bill Cabout ASSISTANT RETAIL MANAGER 03 307 5100



Don Joseph FUEL SALES MANAGER 027 839 7351 Maree Smith RAKAIA STORE MANAGER 03 303 5440 George Walker
PRODUCT CATEGORY
MANAGER
027 340 3557

Jack Dudley GRAIN & SEED CO-ORDINATOR 027 238 9014

CONTACT US TODAY



0800 787 256

RURALCO.CO.NZ

ASHBURTON/METHVEN/RAKAIA

Rural OBSESSED WITH AGRICULTURE